

City of Sumner  
White River Trail Extension, CIP 06-05  
Addendum #4



Date of Issue: August 23, 2011  
Date of Opening: Unchanged – August 24<sup>th</sup>, 2011, 2:00 p.m.

**Notice to All Plan holders:**

This Addendum #4, containing the following revisions, additions, deletions and/or clarifications is hereby made part of the Plan and Contract Documents for the above-named project. Bidders shall take this Addendum into consideration when preparing and submitting their bids and it shall be attached to the Contract Documents.

**Contractors shall acknowledge receipt of this Addendum #4 in the place provided Proposal Form (page LD-9). Failure to do so may disqualify the Bidder from consideration of its bid.**

1. Revoke Addendum #2 reference to Division 5 (Surface Treatments and Pavements) change and related plan sheet DT3 reference from Addendum #3. HMA shall be PG 70-22 as originally shown in bid documents including proposal.
2. A588/A847 steel is acceptable for a truss bridge system or M270 Grade 50W for steel plate girder.

ALL OTHER REQUIREMENTS OF THE CONTRACT DOCUMENTS REMAIN IN EFFECT.

Please call or email if you have any further questions to (253) 299-5703.

Sincerely,

Charles Ted Hill, P.E.  
Associate City Engineer